

LiteLogy

Cordless table lamp

New design models

From Xinhaoli



BC963AT



Smart digital table lamp

timer function

material: Aviation aluminium+PC

Size: D110xH356mm

Color: black/white/grey/golden

Power:5200mAH -USB cord-MICRO

Voltage: DC:5V

Current: 700mA

consumption: 3.5W

Light Flux: 218 LM

LED temp.: 3000K

Waterproof: IP54



BC963AH-RGB



Wine bottle lamp with RGB
material: Aviation aluminium+PC
Size: D110xH105mm
Color: black
Power:5200mAH -USB cord-MICRO
Voltage: DC:5V
Current: 700mA
consumption: 3.5W
Light Flux: 218 LM
Waterproof: IP54



BC974

Rechargeable Ball table lamp
2-level dimming
material: Aviation aluminium+PE
Size: D150*H395mm
Color: Black/White/Brown
Power:2600mAH -USB cord-MICRO
Voltage: DC:5V
Current: 700mA
consumption: 3.5W
Light Flux: 138 LM
LED temp.: 3000K
Waterproof: IP54

LiteLogy



BC978

Nordic table lamp

material: Aviation aluminium+PC

Size: D120*H335mm

Color: white/brown/black

Power: 5200mAH -USB cord

Voltage: DC:5V

Current: 700mA

consumption: 3.5W

Light Flux: 361 LM

LED temp.: 3000K

Waterproof: IP54



BC980



Umbrella table lamp

Encoder on/off, Knob stepless dimming

material: Aviation aluminium

Size: D125*D100*H370mm

Color: White/Black

Power: 4400mAH -USB cord

Voltage: DC:5V

Current: 800mA

consumption: 3.5W

Light Flux: 200LM

LED temp.: 3000K

Waterproof: IP54



BC983

Portable rechargeable lantern
touch dimmer/switch
material: Aviation aluminium+PC
Size: D125X117XXH270mm
Color: silver
Power: 4400mAH -USB cord
Voltage: DC:5V
Current: 700mA
consumption: 3.5W
Light Flux: 240 LM
LED temp.: 3000K
Waterproof: IP54



BC986

Rechargeable Rotate Lantern lamp

rotate head,touch dimmer

material: Aviation aluminium

Size: 108*H308mm

Color: white

Power: 5000mAH -USB cord

Voltage: DC:5V

Current: 700mA

consumption: 3.5W

Light Flux: 224 LM

LED temp.: 3000K

Waterproof: IP54



BC986H



Rechargeable Rotate Lantern lamp
rotate head,touch dimmer
material: Aviation aluminium
Size: 108*H160mm
Color: white/brown
Power: 2500mAH -USB cord
Voltage: DC:5V
Current: 440mA
consumption: 2.2W
Light Flux: 200 LM
LED temp.: 3000K
Waterproof: IP54



BC987



Rechargeable hat lamp
Touch Dimming Switch
material: Aviation aluminium
Size: 120mm*H348mm
Color: white/black/pink
Power:4400mAH -USB cord
Voltage: DC:5V
Current: 440mA
consumption: 2.2W
Light Flux: 200 LM
LED temp.: 3000K
Waterproof: IP54



BC988

Rechargeable mesh table lamp

Silicone switch

material: Aviation aluminium

Size: D140*H250mm

Color: white

Power: 2000mAH -USB cord

Voltage: DC:5V

Current: 440mA

consumption: 2.2W

Light Flux: 200 LM

LED temp.: 3000K

Waterproof: IP54



BC989

Rechargeable Mushroom Service lamp
touch switch/ calling light
material: Aviation aluminium
Size: D90*H260mm
Color:white/black/gold
Power: 1800mAH -USB cord
Voltage: DC:5V
Current: 440mA
consumption: 2.2W
Light Flux: 200 LM
LED temp.: 3001K
Waterproof: IP55



BC990



Rechargeable Penholder lamp
touch switch/ warm white
material: Aviation aluminium
Size: L260*W60*H280mm
Color:white/black
Power: 3600mAH -USB cord
Voltage:DC:5V
Current: 700mA
consumption: 3.5W
Light Flux: 200 LM
LED temp.: 3000K
Waterproof: IP54

BC991



Rechargeable Mushroom Table Lamp
Touch Switch/Cardan Shaft Head
material: Aviation aluminium
Size: W150mm*H250mm
Color:white/black/gold
Power: 5200mAH -USB cord
Voltage: DC:5V
Current: 700mA
consumption: 3.5W
Light Flux: 250 LM
LED temp.: 3000K
Waterproof: IP54



BC992J

Rechargeable Wine lamp

touch switch

material: Aviation aluminium

Size: L130*W86*H42mm

Color: black/white/brown

Power: 2400mAH -USB cord

Voltage: DC:5V

Current: 440mA

consumption: 2.2W

Light Flux: 200 LM

LED temp.: 3000K

Waterproof: IP54

BC993



Rechargeable luckdoor lamp
touch switch/ warm white
material: Aviation aluminium
Size: D100*H420mm
Color:white/black/gold
Power: 5200mAH -USB cord
Voltage: DC:5V
Current: 700mA
consumption: 3.5W
Light Flux: 200 LM
LED temp.: 3000K
Waterproof: IP54



BC995

Rechargeable Lantern lamp

Tact switch/silicone handle

material: Aviation aluminium

Size: D150*H320mm

Color:white

Power: 5000mAH -USB cord

Voltage: DC:5V

Current: 400mA

consumption: 2.2W

Light Flux: 200 LM

LED temp.: 3000K

Waterproof: IP54



BC996

Portable vintage lantern

material: Aviation aluminium+PC

Size: D160*H386mm

Color:white/black/Brown

Power: 5200mAH -USB cord

Voltage: DC:5V

Current: 700mA

consumption: 3.5W

Light Flux: 220 LM

LED temp.: 3000K

Waterproof: IP54



BC997

Rechargeable Lantern lamp
touch switch/soft handle
material: Aviation aluminium+PC
Size: D120*H300mm
Color:white/black/brown
Power: 4400mAH -USB cord
Voltage: DC:5V
Current: 800mA
consumption: 4W
Light Flux: 250 LM
LED temp.: 3000K
Waterproof: IP60



BC998



Rechargeable UFO Table Lamp
2-levels Switch/MultiOrient head
material: Aviation aluminium
Size: D118*110*328mm
Color:white/black
Power: 2300mAH -USB cord
Voltage: DC:5V
Current: 440mA
consumption: 2.2W
Light Flux: 180 LM
LED temp.: 3000K
Waterproof: IP54



BC999



Hexagonal Rhombus Table Lamp

Stepless dimming/touch switch

material: Aviation aluminium

Size: D130*380mm

Color:black/white/grey/golden

Power: 5200mAH -USB cord

Voltage: DC:5V

Current: 800mA

consumption: 3.5W

Light Flux: 200LM

LED temp.: 3000K

Waterproof: IP54

BC1001



Pearl table lamp

Two levels of dimming/Bottom charging

material: Aviation aluminium+PC

Size: L213*D105*H305mm

Color: silver

Power: 1500mAH -USB cord

Voltage: DC:5V

Current: 400mA

consumption: 2.0W

Light Flux: 150LM

LED temp.: 3000K

Waterproof: IP54

BC1002W



Squire pyramid wall lamp
Top switch/touch stepless dimming
material: Aluminium+acrylic
Size: L110*W110*H175mm
Color:black/white/grey
Power: 5200mAH -USB cord
Input Voltage: DC:5V
Power Watt: 3.5W
RA: 80
Light Flux: 200LM
LED temp.: 3000K
Waterproof: IP54

BC1002H



Squire pyramid Hanging lamp
Top switch/touch stepless dimming
material: Aluminium+acrylic
Size: L110*W210*H210mm
Color:black/white/grey
Power: 5200mAH -USB cord
Input Voltage: DC:5V
Power Watt: 3.5W
RA: 80
Light Flux: 200LM
LED temp.: 3000K
Waterproof: IP54



BC1002R



Squire adjustable table lamp
Top switch/touch stepless dimming
material: Aluminium+acrylic
Size: L110*W110*H360mm
Color:black
Power: 5200mAH -USB cord
Input Voltage: DC:5V
Power Watt: 3.5W
RA: 80
Light Flux: 200LM
LED temp.: 3000K
Waterproof: IP54

BC1003



antique wooden table lamp

Encoder on/off, Knob stepless dimming

material: Aviation aluminium

Size: D130*H365mm

Color: Brown/wooden

Power: 5200mAH -USB cord

Voltage: DC:5V

Current: 800mA

consumption: 3.5W

Light Flux: 200LM

LED temp.: 3000K

Waterproof: IP54



BC1006

Princess Skirt table lamp
touch on/off, hold stepless dimming
material: Aviation aluminium
Size: D130*H380mm
Color: White/Multi-color
Power: 5200mAH -USB cord
Voltage: DC:5V
Current: 800mA
consumption: 3.5W
Light Flux: 200LM
LED temp.: 3000K
Waterproof: IP54

BC1007



Cake table lamp
touch on/off,hold stepless dimming
material: Aviation aluminium
Size: D130*H300mm
Color: chocolate/wooden
Power: 5000mAH -USB cord
Voltage: DC:5V
Current: 800mA
consumption: 3.5W
Light Flux: 200LM
LED temp.: 3000K
Waterproof: IP54



BC1009

Mesh table lamp
touch on/off,hold stepless dimming
material: Aviation aluminium
Size: D100*80*H360mm
Color: black/black
Power: 2600mAH -USB cord
Voltage: DC:5V
Current: 700mA
consumption: 3.5W
Light Flux: 200LM
LED temp.: 3000K
Waterproof: IP54

BC1010



LED faucet lamp
Rotating stepless dimming
material: Aluminium+acrylic
Size: 20**H350mm
Color: black
Power: 2600mA
Voltage: DC5V
Current: 440mA
consumption: 2.2W
LED temp.: 3000K
Waterproof: IP54

BC1012



house rechargeable table lamp
touch on/off, hold stepless dimming
material: aluminum alloy
Size: 106*106*H370mm
Color: White/brown
Power: 5200mAH -USB cord
Input Voltage: DC5V
Power Watt: 3W
RA: 80
Light Flux: 200LM
LED temp.: 3000K
Waterproof: IP54



BC1013

Rechargeable dinner table lamp
Touch Switch, Powerful battery
material: Aluminium+acrylic
Size: D130xH360mm
Color:black/white/grey/golden
Power:5200mAH -USB cord-MICRO
Voltage: DC:5V
Current: 700mA
consumption: 3.5W
Light Flux: 218 LM
LED temp.: 3000K
Waterproof: IP54

BC1014



Rechargeable emergency lamp

3 step dimming

Material:iron+linen

Size: D151x H404mm

Color: black lampshade

Power:10000mAH

Maxlight time: 300h

Min brightness: 5 LM

Consumption: 6W

LED temp.:4000K

lamp holder: E27



BC1015



Rechargeable Lantern lamp
Push control, Portable/Three gears switch
material: Aluminium+PC
Size: D128*W120*H230mm
Color:silver
Power: 4400mAH -USB cord
Voltage: DC:5V
Current: 600mA
consumption: 3W
Light Flux: 200 LM
LED temp.: 2700K-6500K
Waterproof: IP54

BC1016



Traditional table lamp
Touch stepless dimming
material: Aluminium+PC
Size: D120xH370mm
Color:white
Power: 5200mAH -USB cord
Voltage: DC:5V
Current: 700mA
consumption: 3.5W
Light Flux: 200 LM
LED temp.: 3000K
Waterproof: IP54



BC1017



Magnetic strip rotating table lamp

Touch stepless dimming

material: Aluminium+PC

Size: D130xH330mm

Color:black

Power: 5200mAH -USB cord

Voltage: DC:5V

Current: 800mA

consumption: 4W

LED temp.: 2700K

Waterproof: IP54

BC1018



Bluetooth speaker table lamp

Touch stepless dimming

material: Aluminium+PC

Size: D160xH330mm

Color:white

Power: 5000mAH -USB cord

Voltage: DC:5V

Current: 600mA

consumption: 3W

LED temp.: 2700K

Waterproof: IP54

BC1019



Magnetic strip rotating table lamp

Touch stepless dimming

material: Acrylic+PC

Size: D110xH320mm

Color: Transparent

Power: 5000mAH -USB cord

Voltage: DC:5V

Current: 700mA

consumption: 3.5W

LED temp.: 2700K

Waterproof: IP54



BC1501



Round head wireless charging lamp
Brightness Buffer/Stepless Dimming
material: Aluminium+acrylic
Size: D150*W150*H380mm
Color: black
Power: 12V/2APower Adapter
Voltage: DC:12V/2A
Current: 3000mA
consumption: 8W
Light Flux: 400LM
LED temp.: 3000K
Waterproof: IP54

BC1502



Irradiation desk lamp
Two-speed dimming/USB plug-in
material: Aluminum alloy
Size: D130*W60*H310mm
Color: black
Power: 18V/0.5A Adapter
Voltage: DC:18V
Current: 0.5A
consumption: 9W
Light Flux: 400LM
LED temp.: 3000K
Waterproof: IP54